




Energinn

DIMENSIONES **LÍNEA AXIAL VENT**

V-2


www.energinn.com.co

MONOFÁSICOS



Tipo	ØA +/-1mm	ØB (Distancia entre centros +/-1mm)	ØC +/-2.0mm	ØD +/-2.0mm	E +/-1mm	F +/-1mm	Ød +/- 0.5	Peso Kg
2CC2204-1F VENT AXIAL	310	281	202	213	145	225	10.5	4
2CC2254-1F VENT AXIAL	358	336	250	262	145	225	10.5	4
2CC2314- 1F VENT AXIAL	430	410	314	326	145	225	10.5	5
2CC2354- 1F VENT AXIAL	364	443	350	362	145	225	10.5	6
2CC2404- 1F VENT AXIAL	515	492	400	412	145	225	10.5	6,5
2CC2504-1F VENT AXIAL	565	540	499	516	260	298	10.5	23

TRIFÁSICOS



Tipo	ØA +/-1mm	ØB (Distancia entre centros +/-1mm)	ØC +/-2.0mm	ØD +/-2.0mm	E +/-1mm	F +/-1mm	Ød +/- 0.5	Peso Kg
2CC2314-3F VENT AXIAL	430	410	314	326	145	225	10.5	5
2CC2354-3F VENT AXIAL	364	443	350	362	145	225	10.5	6
2CC2404-3F VENT AXIAL	515	492	400	412	145	225	10.5	6,5
2CC2504-3F VENT AXIAL	565	540	499	516	260	298	10.5	25
2CC2506-3F VENT AXIAL	565	540	499	516	260	298	10.5	26
2CC2634-3F VENT AXIAL	699	665	629	645	300	N/A	10.5	29,5
2CC2636-3F VENT AXIAL	699	665	629	645	300	N/A	10.5	30.5
2CC1714-3F VENT AXIAL	775	748	709	726	320	370	10.5	60,5
2CC2716-3F VENT AXIAL	775	748	709	726	320	N/A	10.5	30.5